Day :
Thursday
Date:
9/9/2004
Time:
15:40:04

PALM INTRANET

Inventor Information for 09/635433

Inventor Name	City	State/Country
NOE, MARK C.	MYSTIC	CONNECTICUT
LETAVIC, MICHAEL A.	MYSTIC	CONNECTICUT
CHUPAK, LOUIS S.	OLD SAYBROOK	CONNECTICUT
MCCLURE, KIM F.	MYSTIC	CONNECTICUT

Appln Info | Contents | Petition Info | Atty/Agent Info | Continuity Data | Foreig

Search Another: Application# [   ]
Search

or Patent# [   ] Search

PCT / [   ] / [   ]

or PG PUBS # [   ]

Search

Search

Attorney Docket # [   ] Search

Bar Code # [   ] Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

L Number	Hits	Search Text	DB	Time stamp
1	1	("6329397").PN.	USPAT; US-PGPUB	2004/09/09 14:32

Connecting via Winsock to STN

Welcome to STN International!   Enter x:x

LOGINID:ssspta1611txm

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * *   Welcome to STN International   * * * * * * * * * *

NEWS 1   Web Page URLs for STN Seminar Schedule - N. America
NEWS 2   "Ask CAS" for self-help around the clock
NEWS 3   May 12   EXTEND option available in structure searching
NEWS 4   May 12   Polymer links for the POLYLINK command completed in REGISTRY
NEWS 5   May 27   New UPM (Update Code Maximum) field for more efficient patent
                   SDIs in CAplus
NEWS 6   May 27   CAplus super roles and document types searchable in REGISTRY
NEWS 7   Jun 28   Additional enzyme-catalyzed reactions added to CASREACT
NEWS 8   Jun 28   ANTE, AQUALINE, BIOENG, CIVILENG, ENVIROENG, MECHENG,
                   and WATER from CSA now available on STN(R)
NEWS 9   Jul 12   BEILSTEIN enhanced with new display and select options,
                   resulting in a closer connection to BABS
NEWS 10   Jul 30   BEILSTEIN on STN workshop to be held August 24 in conjunction
                   with the 228th ACS National Meeting
NEWS 11   AUG 02   IFIPAT/IFIUDB/IFICDB reloaded with new search and display
                   fields
NEWS 12   AUG 02   CAplus and CA patent records enhanced with European and Japan
                   Patent Office Classifications
NEWS 13   AUG 02   STN User Update to be held August 22 in conjunction with the
                   228th ACS National Meeting
NEWS 14   AUG 02   The Analysis Edition of STN Express with Discover!
                   (Version 7.01 for Windows) now available
NEWS 15   AUG 04   Pricing for the Save Answers for SciFinder Wizard within
                   STN Express with Discover! will change September 1, 2004
NEWS 16   AUG 27   BIOCOMMERCE: Changes and enhancements to content coverage
NEWS 17   AUG 27   BIOTECHABS/BIOTECHDS: Two new display fields added for legal
                   status data from INPADOC
NEWS 18   SEP 01   INPADOC: New family current-awareness alert (SDI) available
NEWS 19   SEP 01   New pricing for the Save Answers for SciFinder Wizard within
                   STN Express with Discover!
NEWS 20   SEP 01   New display format, HITSTR, available in WPIDS/WPINDEX/WPIX

NEWS EXPRESS   JULY 30 CURRENT WINDOWS VERSION IS V7.01, CURRENT
               MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
               AND CURRENT DISCOVER FILE IS DATED 11 AUGUST 2004
NEWS HOURS   STN Operating Hours Plus Help Desk Availability
NEWS INTER   General Internet Information
NEWS LOGIN   Welcome Banner and News Items
NEWS PHONE   Direct Dial and Telecommunication Network Access to STN
NEWS WWW   CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 13:09:23 ON 09 SEP 2004

=> file caplus; s us-6329397/pn; select rn e1-
FILE 'CAPLUS' ENTERED AT 13:12:19 ON 09 SEP 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN. Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 9 Sep 2004   VOL 141 ISS 11
FILE LAST UPDATED: 8 Sep 2004   (20040908/ED)

  This file contains CAS Registry Numbers for easy and accurate
  substance identification.

L1   1 US-6329397/PN
                  (US6329397/PN)

ENTER ANSWER SET OR SMARTSELECT L# OR (L1):.
ENTER ANSWER NUMBER OR RANGE (1-).:.
'E1-' IS NOT A VALID FIELD CODE FOR FILE 'CAPLUS'
The following are valid field codes:
AB ------ Abstract Text
AC ------ Patent Application Country
AD ------ Patent Application Date
AI ------ Patent Application Information
AN ------ Accession Number
AP ------ Patent Application Number
APPS ---- Patent Application and Priority Number
AU ------ Author or Patent Inventor
AY ------ Patent Application Year
CC ------ CA Classification Codes
CK ------ Crossover Key
CS ------ Corporate Source or Patent Assignee
CS.DIV -- Corporate Source, Division
CS.ORG -- Corporate Source, Organization Name
CT ------ Controlled Term
CYA ----- Country Name of Author
DS ------ Designated States (Patents)

DT ------ Document Type
FAN ----- Family Accession Number
FS ------ File Segment
GENBANK - GENBANK Number
IC ------ International Patent Classification (IPC)
ICA ----- Additional (Supplementary) IPC
ICI ----- Index (Complementary) IPC
ICM ----- Main IPC
ICS ----- Secondary IPC
IN ------ Inventor Name
ISN ----- International Standard (Document) Number
ISSN----- ISSN
IPC ----- International Patent Classifications
IT ------ Index Entries
JT ------ Journal Title
LA ------ Language
NCL------ National Patent Classification Code
OS ------ Other Source
PA ------ Patent Assignee
PATS----- Patent Numbers
PC ------ Patent Country
PCS ----- Patent Countries
PD ------ Publication Date
PI ------ Patent Information
PK ------ Kind of Patent
PN ------ Patent Number
PRAI ---- Patent Priority Information
PRC ----- Patent Priority Country
PRD ----- Patent Priority Date
PRN ----- Patent Priority Number
PRY ----- Patent Priority Year
PY ------ Publication Year of Original Document
RE ------ Reference
REC ----- Reference Count
RAN.CA -- Reference CA File Accession Number
RAN.CAPLUS --- Reference CAPLus File Accession Nummber
RAN.MEDLINE -- Reference MEDLINE File Accession Number
RAN.ALL ------ Reference Accession Numbers for All Files
RIN ----- Reference Inventor
RAU ----- Reference Author
RWK ----- Reference Work
RPG ----- Reference Page Number
RPN ----- Reference Patent Number
RPY ----- Reference Publication Year
RVL ----- Reference Publication Volume
RL ------ Roles
RN ------ CAS Registry Number
SO ------ Source
ST ------ Supplementary Terms (CA Keywords)
SX ------ Chemical Abstract Section Cross-Reference Code
TI ------ Title of Document
ENTER DISPLAY CODE (TI) OR ?:
ENTER DISPLAY CODE (TI) OR ?:rn
E1 THROUGH E123 ASSIGNED

=> file reg
FILE 'REGISTRY' ENTERED AT 13:13:11 ON 09 SEP 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

```
STRUCTURE FILE UPDATES:    8 SEP 2004   HIGHEST RN 741635-85-8
DICTIONARY FILE UPDATES:   8 SEP 2004   HIGHEST RN 741635-85-8
```

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

  Please note that search-term pricing does apply when
  conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
http://www.cas.org/ONLINE/DBSS/registryss.html

```
=> s e1-e123
             1 100-39-0/BI
                 (100-39-0/RN)
             1 108-18-9/BI
                 (108-18-9/RN)
             1 111712-04-0/BI
                 (111712-04-0/RN)
             1 124-41-4/BI
                 (124-41-4/RN)
             1 128811-48-3/BI
                 (128811-48-3/RN)
             1 146480-35-5/BI
                 (146480-35-5/RN)
             1 147172-61-0/BI
                 (147172-61-0/RN)
             1 175449-82-8/BI
                 (175449-82-8/RN)
             1 18107-18-1/BI
                 (18107-18-1/RN)
             1 210755-57-0/BI
                 (210755-57-0/RN)
             1 258860-57-0/BI
                 (258860-57-0/RN)
             1 258860-58-1/BI
                 (258860-58-1/RN)
             1 258860-59-2/BI
                 (258860-59-2/RN)
             1 258860-60-5/BI
                 (258860-60-5/RN)
             1 258860-61-6/BI
                 (258860-61-6/RN)
             1 258860-62-7/BI
                 (258860-62-7/RN)
             1 258860-63-8/BI
                 (258860-63-8/RN)
             1 258860-64-9/BI
                 (258860-64-9/RN)
             1 258860-65-0/BI
                 (258860-65-0/RN)
             1 258860-66-1/BI
                 (258860-66-1/RN)
```

1 258860-67-2/BI
   (258860-67-2/RN)
1 258860-68-3/BI
   (258860-68-3/RN)
1 258860-69-4/BI
   (258860-69-4/RN)
1 258860-70-7/BI
   (258860-70-7/RN)
1 258860-71-8/BI
   (258860-71-8/RN)
1 258860-72-9/BI
   (258860-72-9/RN)
1 258860-73-0/BI
   (258860-73-0/RN)
1 258860-74-1/BI
   (258860-74-1/RN)
1 258860-75-2/BI
   (258860-75-2/RN)
1 258860-76-3/BI
   (258860-76-3/RN)
1 258860-77-4/BI
   (258860-77-4/RN)
1 258860-78-5/BI
   (258860-78-5/RN)
1 258860-79-6/BI
   (258860-79-6/RN)
1 258860-80-9/BI
   (258860-80-9/RN)
1 258860-81-0/BI
   (258860-81-0/RN)
1 258860-82-1/BI
   (258860-82-1/RN)
1 258860-83-2/BI
   (258860-83-2/RN)
1 258860-84-3/BI
   (258860-84-3/RN)
1 258860-85-4/BI
   (258860-85-4/RN)
1 258860-86-5/BI
   (258860-86-5/RN)
1 258860-87-6/BI
   (258860-87-6/RN)
1 258860-88-7/BI
   (258860-88-7/RN)
1 258860-89-8/BI
   (258860-89-8/RN)
1 258860-90-1/BI
   (258860-90-1/RN)
1 258860-91-2/BI
   (258860-91-2/RN)
1 258860-92-3/BI
   (258860-92-3/RN)
1 258860-93-4/BI
   (258860-93-4/RN)
1 258860-94-5/BI
   (258860-94-5/RN)
1 258860-95-6/BI
   (258860-95-6/RN)
1 258860-96-7/BI
   (258860-96-7/RN)

```
1 258860-97-8/BI
  (258860-97-8/RN)
1 258860-98-9/BI
  (258860-98-9/RN)
1 258860-99-0/BI
  (258860-99-0/RN)
1 258861-00-6/BI
  (258861-00-6/RN)
1 258861-01-7/BI
  (258861-01-7/RN)
1 258861-02-8/BI
  (258861-02-8/RN)
1 258861-03-9/BI
  (258861-03-9/RN)
1 258861-04-0/BI
  (258861-04-0/RN)
1 258861-05-1/BI
  (258861-05-1/RN)
1 258861-06-2/BI
  (258861-06-2/RN)
1 258861-07-3/BI
  (258861-07-3/RN)
1 258861-08-4/BI
  (258861-08-4/RN)
1 258861-09-5/BI
  (258861-09-5/RN)
1 258861-10-8/BI
  (258861-10-8/RN)
1 258861-11-9/BI
  (258861-11-9/RN)
1 258861-12-0/BI
  (258861-12-0/RN)
1 258861-13-1/BI
  (258861-13-1/RN)
1 258861-14-2/BI
  (258861-14-2/RN)
1 258861-15-3/BI
  (258861-15-3/RN)
1 258861-16-4/BI
  (258861-16-4/RN)
1 258861-17-5/BI
  (258861-17-5/RN)
1 258861-18-6/BI
  (258861-18-6/RN)
1 258861-19-7/BI
  (258861-19-7/RN)
1 258861-20-0/BI
  (258861-20-0/RN)
1 258861-21-1/BI
  (258861-21-1/RN)
1 258861-22-2/BI
  (258861-22-2/RN)
1 258861-23-3/BI
  (258861-23-3/RN)
1 258861-24-4/BI
  (258861-24-4/RN)
1 258861-25-5/BI
  (258861-25-5/RN)
1 258861-26-6/BI
  (258861-26-6/RN)
```

1 258861-27-7/BI
   (258861-27-7/RN)
1 258861-28-8/BI
   (258861-28-8/RN)
1 258861-29-9/BI
   (258861-29-9/RN)
1 258861-30-2/BI
   (258861-30-2/RN)
1 258861-31-3/BI
   (258861-31-3/RN)
1 258861-32-4/BI
   (258861-32-4/RN)
1 258861-33-5/BI
   (258861-33-5/RN)
1 258861-34-6/BI
   (258861-34-6/RN)
1 258861-35-7/BI
   (258861-35-7/RN)
1 258861-36-8/BI
   (258861-36-8/RN)
1 258861-37-9/BI
   (258861-37-9/RN)
1 258861-38-0/BI
   (258861-38-0/RN)
1 258861-39-1/BI
   (258861-39-1/RN)
1 258861-40-4/BI
   (258861-40-4/RN)
1 258861-41-5/BI
   (258861-41-5/RN)
1 258861-42-6/BI
   (258861-42-6/RN)
1 258861-43-7/BI
   (258861-43-7/RN)
1 258861-44-8/BI
   (258861-44-8/RN)
1 258861-45-9/BI
   (258861-45-9/RN)
1 258861-46-0/BI
   (258861-46-0/RN)
1 258861-47-1/BI
   (258861-47-1/RN)
1 258861-48-2/BI
   (258861-48-2/RN)
1 258861-49-3/BI
   (258861-49-3/RN)
1 258861-50-6/BI
   (258861-50-6/RN)
1 258861-51-7/BI
   (258861-51-7/RN)
1 258861-52-8/BI
   (258861-52-8/RN)
1 258861-53-9/BI
   (258861-53-9/RN)
1 258861-54-0/BI
   (258861-54-0/RN)
1 258861-55-1/BI
   (258861-55-1/RN)
1 258861-56-2/BI
   (258861-56-2/RN)

```
         1 258861-57-3/BI
           (258861-57-3/RN)
         1 258861-58-4/BI
           (258861-58-4/RN)
         1 27532-96-3/BI
           (27532-96-3/RN)
         1 38945-21-0/BI
           (38945-21-0/RN)
         1 585-29-5/BI
           (585-29-5/RN)
         1 7803-49-8/BI
           (7803-49-8/RN)
         1 79955-99-0/BI
           (79955-99-0/RN)
         1 81357-18-8/BI
           (81357-18-8/RN)
         1 825-90-1/BI
           (825-90-1/RN)
         1 865-47-4/BI
           (865-47-4/RN)
         1 87001-32-9/BI
           (87001-32-9/RN)
         1 89531-61-3/BI
           (89531-61-3/RN)
         1 9001-12-1/BI
           (9001-12-1/RN)
L2     123 (100-39-0/BI OR 108-18-9/BI OR 111712-04-0/BI OR 124-41-4/BI OR
           128811-48-3/BI OR 146480-35-5/BI OR 147172-61-0/BI OR 175449-82-
           8/BI OR 18107-18-1/BI OR 210755-57-0/BI OR 258860-57-0/BI OR
           258860-58-1/BI OR 258860-59-2/BI OR 258860-60-5/BI OR 258860-61-
           6/BI OR 258860-62-7/BI OR 258860-63-8/BI OR 258860-64-9/BI OR
           258860-65-0/BI OR 258860-66-1/BI OR 258860-67-2/BI OR 258860-68-
           3/BI OR 258860-69-4/BI OR 258860-70-7/BI OR 258860-71-8/BI OR
           258860-72-9/BI OR 258860-73-0/BI OR 258860-74-1/BI OR 258860-75-
           2/BI OR 258860-76-3/BI OR 258860-77-4/BI OR 258860-78-5/BI OR
           258860-79-6/BI OR 258860-80-9/BI OR 258860-81-0/BI OR 258860-82-
           1/BI OR 258860-83-2/BI OR 258860-84-3/BI OR 258860-85-4/BI OR
           258860-86-5/BI OR 258860-87-6/BI OR 258860-88-7/BI OR 258860-89-
           8/BI OR 258860-90-1/BI OR 258860-91-2/BI OR 258860-92-3/BI OR
           258860-93-4/BI OR 258860-94-5/BI OR 258860-95-6/BI OR 258860-96-
           7/BI OR 258860-97-8/BI OR 258860-98-9/BI OR 258860-99-0/BI OR
           258861-00-6/BI OR 258861-01-7/BI OR 258861-0

=>
Uploading C:\Program Files\Stnexp\Queries\10635433.str
```

chain nodes :
19   20   21   22   23   24   26   27   28
ring nodes :
1   2   3   4   5   6   7   8   9   10   11   12   13   14   15   16   17   18
chain bonds :
4-27   10-19   13-19   17-24   17-26   18-20   20-21   20-22   22-23   27-28
ring bonds :
1-2   1-6   2-3   3-4   4-5   5-6   7-8   7-12   8-9   9-10   10-11   11-12   13-14   13-18
14-15   15-16   16-17   17-18
exact/norm bonds :
4-27   10-19   13-14   13-18   13-19   14-15   15-16   16-17   17-18   17-24   17-26   18-20
20-21   20-22   22-23   27-28
normalized bonds :
1-2   1-6   2-3   3-4   4-5   5-6   7-8   7-12   8-9   9-10   10-11   11-12

G1:H,CH3,OH

G2:C,N

Match level :
1:Atom   2:Atom   3:Atom   4:Atom   5:Atom   6:Atom   7:Atom   8:Atom   9:Atom   10:Atom
11:Atom   12:Atom   13:Atom   14:Atom   15:Atom   16:Atom   17:Atom   18:Atom   19:CLASS
20:CLASS   21:CLASS   22:CLASS   23:CLASS   24:CLASS   26:CLASS   27:CLASS   28:CLASS
30:CLASS

L3   STRUCTURE UPLOADED

=> s l3 subset = l2 full
FULL SUBSET SEARCH INITIATED 13:14:28 FILE 'REGISTRY'
FULL SUBSET SCREEN SEARCH COMPLETED -   10 TO ITERATE

100.0% PROCESSED   10 ITERATIONS   6 ANSWERS
SEARCH TIME: 00.00.01

L4   6 SEA SUB=L2 SSS FUL L3

=> d 1-6 ide

L4   ANSWER 1 OF 6   REGISTRY   COPYRIGHT 2004 ACS on STN
RN   258861-52-8   REGISTRY
CN   2-Piperidinecarboxamide, 1-[[4-[(4-fluorophenyl)methoxy]phenyl]sulfonyl]-3-
       hydroxy-3-methyl-N-(2-propenyloxy)- (9CI)   (CA INDEX NAME)
FS   3D CONCORD
MF   C23 H27 F N2 O6 S
SR   CA
LC   STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA CAplus document type: Patent
RL.P   Roles from patents: PREP (Preparation); RACT (Reactant or reagent)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

            1 REFERENCES IN FILE CA (1907 TO DATE)
            1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4   ANSWER 2 OF 6   REGISTRY   COPYRIGHT 2004 ACS on STN
RN   258861-37-9   REGISTRY
CN   2-Piperidinecarboxamide, N,5-dihydroxy-3-methyl-1-[[4-[[2-(1-
       methylethyl)phenyl]methoxy]phenyl]sulfonyl]-, (2R,3R,5R)- (9CI)   (CA INDEX
       NAME)
FS   STEREOSEARCH
MF   C23 H30 N2 O6 S
SR   CA
LC   STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA CAplus document type: Patent
RL.P   Roles from patents: BIOL (Biological study); PREP (Preparation); USES
   (Uses)

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

        1 REFERENCES IN FILE CA (1907 TO DATE)
        1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

```
L4    ANSWER 3 OF 6   REGISTRY   COPYRIGHT 2004 ACS on STN
RN    258861-36-8   REGISTRY
CN    2-Piperidinecarboxamide, N,5-dihydroxy-3-methyl-1-[[4-[(2-
      methylphenyl)methoxy]phenyl]sulfonyl]-, (2R,3R,5R)- (9CI)   (CA INDEX NAME)
FS    STEREOSEARCH
MF    C21 H26 N2 O6 S
SR    CA
LC    STN Files:   CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA CAplus document type:  Patent
RL.P  Roles from patents:  BIOL (Biological study); PREP (Preparation); USES
      (Uses)
```

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

        1 REFERENCES IN FILE CA (1907 TO DATE)
        1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

```
L4    ANSWER 4 OF 6   REGISTRY   COPYRIGHT 2004 ACS on STN
RN    258860-84-3   REGISTRY
CN    2-Piperidinecarboxamide, 1-[[4-[(4-fluorophenyl)methoxy]phenyl]sulfonyl]-
      N,3-dihydroxy-3-methyl-, (2R,3S)- (9CI)   (CA INDEX NAME)
FS    STEREOSEARCH
MF    C20 H23 F N2 O6 S
SR    CA
```

LC   STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA CAplus document type: Patent
RL.P   Roles from patents: BIOL (Biological study); PREP (Preparation); USES
       (Uses)

Absolute stereochemistry.

) 5/6 7

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

              1 REFERENCES IN FILE CA (1907 TO DATE)
              1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4   ANSWER 5 OF 6   REGISTRY   COPYRIGHT 2004 ACS on STN
RN   258860-83-2   REGISTRY
CN   2-Piperidinecarboxamide, 1-[[4-[(4-fluorophenyl)methoxy]phenyl]sulfonyl]-
      N,3-dihydroxy-3-methyl-, (2R,3R)- (9CI)   (CA INDEX NAME)
FS   STEREOSEARCH
MF   C20 H23 F N2 O6 S
SR   CA
LC   STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA CAplus document type: Patent
RL.P   Roles from patents: BIOL (Biological study); PREP (Preparation); USES
       (Uses)

Absolute stereochemistry.

) 4/6 7

**PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT**

              1 REFERENCES IN FILE CA (1907 TO DATE)
              1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4   ANSWER 6 OF 6   REGISTRY   COPYRIGHT 2004 ACS on STN
RN   258860-60-5 REGISTRY
CN   2-Piperidinecarboxamide, 1-[[4-[(4-fluorophenyl)methoxy]phenyl]sulfonyl]-
      N,3-dihydroxy-3-methyl- (9CI)   (CA INDEX NAME)
FS   3D CONCORD
MF   C20 H23 F N2 O6 S
SR   CA
LC   STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA CAplus document type: Patent
RL.P   Roles from patents: BIOL (Biological study); PREP (Preparation); USES
       (Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

                1 REFERENCES IN FILE CA (1907 TO DATE)
                1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=>
=> logoff
ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:.
STN INTERNATIONAL LOGOFF AT 13:15:12 ON 09 SEP 2004